be ſafely uſed for a long time, without Danger to Health, I can vouch by my own Experience; for a Quart of Lime-Water, and an Ounce of Soap, has never given me the leaſt Nauſeating, Lowneſs of Spirits, or Abatement of Appetite, and I think I was never better in Health than I am now.

My Motive for being ſo particular in this Affair, is a Deſire to be inſtrumental, by your means, of giving Eaſe to others in ſo unhappy a Condition; being firmly perſuaded, that what has already ſo far reliev'd me, will, if preſcrib'd, diſſolve Stones of greater Magnitude than I ſuppoſe mine to be. From

Abergavenny, Dec. 1746. *Your affectionate Brother,*

Robert Lucas.

X. *The* Figures *of ſome very extraordinary* calculous Concretions *formed in the* Kidney *of a Woman; communicated by Mr.* Charles Lucas *at* Dublin.

See TAB. III.

Preſented March 26. 1747.

PARTS of a *calculous Concretion* formed in the left *Kidney* of *Mary Anne Mac-Mahon*, otherwiſe *England*, taken out after her Death, in the 30th Year of her Age.

Figure

The Royal Society is collaborating with JSTOR to digitize, preserve, and extend access to *Philosophical Transactions (1683-1775)*. www.jstor.org

Figure I. A View of the anterior Part of the *Calculus* in its proper Situation, wanting, to complete its Form, *fig.* III. and V. and ſome other ſmall Pieces which were joined or adhered to it at *A*.

Fig. II. A View of the poſterior Part, completely the reverſe of *fig.* I.

Fig. III. A View of another Portion, which, by the Intermediation of ſome ſmaller Pieces, was joined at *B* to *fig.* I. at *A*.

Fig. IV. The reverſe of *fig.* III.

Fig. V. A Portion which ſeem'd broke off *fig.* I. at *A*; for it fitted it exactly at *C*.

Fig. VI. VII. VIII. Different Fragments, whoſe Places could not be certainly determined.

Fig. IX. A *Nucleus* of a dark Olive-Colour, and oval Figure, of the common Texture and Conſiſtence of ordinary *Calculi*, diſcovered by cutting *fig.* V. tranſverſely at *D*.

Fig. X. A tranſverſe Section of *fig.* II. at *E*, very ſolid, white, and ſemi-pellucid, except at *F*, where a brown Vein, of the Colour of the Surface of the *Nucleus*, *fig.* IX. at *G*, and very porous, runs through it.

Fig. 1.



p. 466.

Fig. 2.

Fig. 3.



Fig. 4.

Fig. 5.



Fig. 6.



Fig. 7.



Fig. 9.

Fig. 10.



Fig. 8.



J. Mynde sc.

Fig. 1.

p. 460.

Fig. 2.



Fig. 5.

Fig. 6.

Fig. 3.



Fig. 4.

Fig. 9.

Fig. 7.

Fig. 8.

Fig. 10.